

Vape Cart - Spliffin O.G.

METRC Batch: 1A40603000111D5000000036

METRC Sample: 1A4060300009EBC000000709

Sample ID: 2202ENC0960_3753

Strain: Spliffin O.G.

Produced: 02/03/2022

Collected: 02/03/2022

Received: 02/03/2022

Completed: 02/09/2022

Sample Size: 17 units; Batch: 2,436 units

Distributor

Spliffin Group

Lic. # C11-0000857-LIC

1411 Wilson Street,

Los Angeles, CA, 90021

Producer

Spliffin Group

Lic. # CDPH-10004077

1411 Wilson St., Los Angeles, CA 90021

Matrix: Concentrates & Extracts

Type: Distillate

Batch#: V.AL.SOG.007



Summary

Test	Date Tested	Instr. Method	Result
Batch			Pass
Cannabinoids	02/04/2022	LC-DAD	Pass
Pesticides	02/04/2022	LC-MS	Pass
Mycotoxins	02/04/2022	LC-MS	Pass
Residual Solvents	02/04/2022	HS-GC-MS	Pass
Microbial Impurities	02/07/2022	qPCR	Pass
Heavy Metals	02/07/2022	ICP-MS	Pass
Foreign Matter	02/04/2022	Visual Inspection	Pass

Cannabinoids

Method: SOP EL-CANNABINOIDS

92.346 %

Total THC

0.304 %

Total CBD

96.344 %

Total Cannabinoids

Analytes	LOD	LOQ	Result	Result	Result
	mg/g	mg/g	%	mg/g	mg/unit
THCa	0.242	0.733	ND	ND	ND
Δ9-THC	0.259	0.785	92.346	923.46	923.46
Δ8-THC	0.286	0.868	ND	ND	ND
THCVa	0.279	0.846	ND	ND	ND
THCV	0.289	0.875	0.636	6.36	6.36
CBDa	0.254	0.769	ND	ND	ND
CBD	0.245	0.741	0.304	3.04	3.04
CBN	0.230	0.698	0.901	9.01	9.01
CBGa	0.276	0.835	ND	ND	ND
CBG	0.254	0.770	1.140	11.40	11.40
CBCa	0.225	0.681	ND	ND	ND
CBC	0.264	0.800	1.016	10.16	10.16
Total THC			92.346	923.46	923.458
Total CBD			0.304	3.04	3.042
Total Cannabinoids			96.344	963.43	963.435

1 Unit = 1g;

Total THC = THCa * 0.877 + Δ9-THC; Total CBD = CBDa * 0.877 + CBD; LOQ = Limit of Quantitation; LOD = Limit of Detection; NT = Not Tested; ND = Not Detected. The reported result is based on a sample weight with the applicable moisture content for that sample. Foreign Material Method: SOP EL-FOREIGN; Moisture and Water Activity Method: SOP EL-WATER



Mary Beth Smith
Mary Beth Smith
Compliance Manager | 02/09/2022



Vape Cart - Spliffin O.G.

METRC Batch: 1A40603000111D5000000036

METRC Sample: 1A4060300009EBC000000709

Sample ID: 2202ENC0960_3753

Strain: Spliffin O.G.

Matrix: Concentrates & Extracts

Type: Distillate

Batch#: V.AL.SOG.007

Produced: 02/03/2022

Collected: 02/03/2022

Received: 02/03/2022

Completed: 02/09/2022

Sample Size: 17 units; Batch: 2,436 units

Distributor

Spliffin Group

Lic. # C11-0000857-LIC

1411 Wilson Street,
Los Angeles, CA, 90021

Producer

Spliffin Group

Lic. # CDPH-10004077

1411 Wilson St., Los Angeles, CA 90021

Pesticides

Method: EL-PESTMYCOLCMS

Analytes	LOD	LOQ	Limit	Result	Status	Analytes	LOD	LOQ	Limit	Result	Status
	µg/g	µg/g	µg/g	µg/g			µg/g	µg/g	µg/g	µg/g	
Abamectin	0.005	0.02	0.10	ND	Pass	Fludioxonil	0.01	0.05	0.10	ND	Pass
Acephate	0.002	0.01	0.10	ND	Pass	Hexythiazox	0.005	0.02	0.10	ND	Pass
Acequinocyl	0.01	0.02	0.10	ND	Pass	Imazalil	0.05	0.1	0.05	ND	Pass
Acetamiprid	0.005	0.02	0.10	ND	Pass	Imidacloprid	0.005	0.02	5.00	ND	Pass
Aldicarb	0.05	0.1	0.05	ND	Pass	Kresoxim Methyl	0.005	0.02	0.10	ND	Pass
Azoxystrobin	0.005	0.02	0.10	ND	Pass	Malathion	0.02	0.05	0.50	ND	Pass
Bifenazate	0.005	0.01	0.10	ND	Pass	Metalaxyl	0.002	0.005	2.00	ND	Pass
Bifenthrin	0.02	0.05	3.00	ND	Pass	Methiocarb	0.05	0.1	0.05	ND	Pass
Boscalid	0.02	0.05	0.10	ND	Pass	Methomyl	0.01	0.02	1.00	ND	Pass
Captan	0.2	0.3	0.70	ND	Pass	Parathion Methyl	0.02	0.05	0.05	ND	Pass
Carbaryl	0.02	0.05	0.50	ND	Pass	Mevinphos	0.02	0.05	0.02	ND	Pass
Carbofuran	0.05	0.1	0.05	ND	Pass	Myclobutanil	0.005	0.01	0.10	ND	Pass
Chlorantraniliprole	0.002	0.01	10.00	ND	Pass	Naled	0.01	0.02	0.10	ND	Pass
Chlordane	0.05	0.1	0.05	ND	Pass	Oxamyl	0.005	0.01	0.50	ND	Pass
Chlorfenapyr	0.05	0.1	0.05	ND	Pass	Paclobutrazol	0.05	0.1	0.05	ND	Pass
Chlorpyrifos	0.05	0.1	0.05	ND	Pass	PCNB	0.02	0.05	0.10	ND	Pass
Clofentezine	0.01	0.02	0.10	ND	Pass	Permethrin	0.02	0.05	0.50	ND	Pass
Coumaphos	0.02	0.05	0.02	ND	Pass	Phosmet	0.01	0.02	0.10	ND	Pass
Cyfluthrin	0.05	0.1	2.00	ND	Pass	Piperonyl Butoxide	0.02	0.05	3.00	ND	Pass
Cypermethrin	0.1	0.2	1.00	ND	Pass	Prallethrin	0.005	0.02	0.10	ND	Pass
Daminozide	0.02	0.05	0.02	ND	Pass	Propiconazole	0.005	0.01	0.10	ND	Pass
Diazinon	0.002	0.01	0.10	ND	Pass	Propoxure	0.05	0.1	0.05	ND	Pass
Dichlorvos	0.02	0.05	0.02	ND	Pass	Pyrethrins	0.02	0.05	0.50	ND	Pass
Dimethoate	0.02	0.05	0.02	ND	Pass	Pyridaben	0.005	0.01	0.10	ND	Pass
Dimethomorph	0.005	0.02	2.00	ND	Pass	Spinetoram	0.005	0.01	0.10	ND	Pass
Ethoprophos	0.05	0.1	0.05	ND	Pass	Spinosad	0.005	0.01	0.10	ND	Pass
Etofenprox	0.05	0.1	0.05	ND	Pass	Spiromesifen	0.01	0.02	0.10	ND	Pass
Etoazole	0.005	0.02	0.10	ND	Pass	Spirotetramat	0.005	0.01	0.10	ND	Pass
Fenhexamid	0.005	0.02	0.10	ND	Pass	Spiroxamine	0.05	0.1	0.05	ND	Pass
Fenoxycarb	0.05	0.1	0.05	ND	Pass	Tebuconazole	0.005	0.01	0.10	0.013	Pass
Fenpyroximate	0.005	0.02	0.10	ND	Pass	Thiacloprid	0.02	0.05	0.02	ND	Pass
Fipronil	0.05	0.1	0.05	ND	Pass	Thiamethoxam	0.005	0.01	5.00	ND	Pass
Flonicamid	0.01	0.02	0.10	ND	Pass	Trifloxystrobin	0.005	0.01	0.10	ND	Pass

Date Tested: 02/04/2022

LOQ = Limit of Quantitation; LOD = Limit of Detection; NT = Not Tested; ND = Not Detected.



Mary Beth Smith
Mary Beth Smith
Compliance Manager | 02/09/2022



Vape Cart - Spliffin O.G.

METRC Batch: 1A40603000111D5000000036

METRC Sample: 1A4060300009EBC000000709

Sample ID: 2202ENC0960_3753

Strain: Spliffin O.G.

Produced: 02/03/2022

Collected: 02/03/2022

Received: 02/03/2022

Completed: 02/09/2022

Sample Size: 17 units; Batch: 2,436 units

Distributor

Spliffin Group

Lic. # C11-0000857-LIC

1411 Wilson Street,
Los Angeles, CA, 90021

Producer

Spliffin Group

Lic. # CDPH-10004077

1411 Wilson St., Los Angeles, CA 90021

Matrix: Concentrates & Extracts

Type: Distillate

Batch#: V.AL.SOG.007

Mycotoxins

Method: EL-PESTMYCOLCMS

Analytes	LOD	LOQ	Limit	Result	Status
	µg/kg	µg/kg	µg/kg	µg/kg	
Aflatoxin B1	2.00	4.00		ND	Tested
Aflatoxin B2	2.00	4.00		ND	Tested
Aflatoxin G1	2.00	4.00		ND	Tested
Aflatoxin G2	2.00	4.00		ND	Tested
Ochratoxin A	1.00	2.00	20.00	ND	Pass
Total Aflatoxins			20.00	ND	Pass

Date Tested: 02/04/2022

LOQ = Limit of Quantitation; LOD = Limit of Detection; NT = Not Tested; ND = Not Detected.

Residual Solvents

Method: EL-RES_SOLVENTS

Analytes	LOD	LOQ	Limit	Result	Status
	µg/g	µg/g	µg/g	µg/g	
Acetone	5.50	16.68	5000	ND	Pass
Acetonitrile	4.56	13.82	410	ND	Pass
Benzene	0.09	0.28	1	ND	Pass
Butane	3.33	10.00	5000	ND	Pass
Chloroform	0.10	0.29	1	ND	Pass
Ethanol	3.33	10.00	5000	ND	Pass
Ethyl-Acetate	3.33	10.00	5000	ND	Pass
Ethyl-Ether	3.33	10.00	5000	ND	Pass
Ethylene Oxide	0.08	0.24	1	ND	Pass
Heptane	3.33	10.00	5000	ND	Pass
n-Hexane	3.33	10.00	290	ND	Pass
Isopropanol	3.33	10.00	5000	ND	Pass
Methanol	8.85	26.80	3000	ND	Pass
Methylene-Chloride	0.10	0.31	1	ND	Pass
1,2-Dichloro-Ethane	0.10	0.29	1	ND	Pass
Pentane	3.33	10.00	5000	ND	Pass
Propane	3.33	10.00	5000	ND	Pass
Toluene	3.33	10.00	890	ND	Pass
Xylenes	6.66	20.00	2170	ND	Pass
Trichloroethene	0.10	0.29	1	ND	Pass

Date Tested: 02/04/2022

LOQ = Limit of Quantitation; LOD = Limit of Detection; NT = Not Tested; ND = Not Detected.



Mary Beth Smith
Mary Beth Smith
Compliance Manager | 02/09/2022



Vape Cart - Spliffin O.G.

METRC Batch: 1A40603000111D5000000036
METRC Sample: 1A4060300009EBC000000709
Sample ID: 2202ENC0960_3753
Strain: Spliffin O.G.

Produced: 02/03/2022
Collected: 02/03/2022
Received: 02/03/2022
Completed: 02/09/2022
Sample Size: 17 units; Batch: 2,436 units

Distributor
Spliffin Group

Lic. # C11-0000857-LIC
1411 Wilson Street,
Los Angeles, CA, 90021

Producer
Spliffin Group

Lic. # CDPH-10004077
1411 Wilson St., Los Angeles, CA 90021

Matrix: Concentrates & Extracts
Type: Distillate
Batch#: V.AL.SOG.007

Microbial Impurities

Method: SOP EL-MICROBIALS

Analytes	Result	Status
Aspergillus flavus	Not Detected in 1g	Pass
Aspergillus fumigatus	Not Detected in 1g	Pass
Aspergillus niger	Not Detected in 1g	Pass
Aspergillus terreus	Not Detected in 1g	Pass
Shiga toxin-producing Escherichia coli	Not Detected in 1g	Pass
Salmonella spp	Not Detected in 1g	Pass

Date Tested: 02/07/2022

Heavy Metals

Method: SOP EL-HEAVYMETALS

Analytes	LOD	LOQ	Limit	Result	Status
	µg/g	µg/g	µg/g	µg/g	
Arsenic	0.012	0.036	0.200	ND	Pass
Cadmium	0.015	0.044	0.200	ND	Pass
Lead	0.055	0.167	0.500	ND	Pass
Mercury	0.005	0.015	0.100	ND	Pass

Date Tested: 02/07/2022

LOQ = Limit of Quantitation; LOD = Limit of Detection; NT = Not Tested; ND = Not Detected.



Mary Beth Smith
Mary Beth Smith
Compliance Manager | 02/09/2022

